


Please read the instructions carefully before commencing installation.

WARNING !

1. Must be installed by a licensed electrician in accordance with S/NZS 3000:2007 Amendment 2:2012 Electrical Installation
2. Switch off power supply before installation.
3. Switch on only after complete installation and examination of the circuit.




Important Safety Instructions

When installing or using this track system, basic safety precautions should always be followed, including the following:


1. Read all instructions carefully before commencing installation.
2. For indoor ceiling installation only. Do not install the product in any other locations. Do not install this track in damp or wet locations.
3. Do not install any part of a track system less than 1.5 meter above the floor.
4. Do not install any luminaire assembly closer than 30 cm from any curtain or similar combustible material.
5. Turn off power before installation or before doing any maintenance work.
6. Do not exceed the normal supply voltage or amperage ratings.
7. Do not attempt to energise anything other than lighting track luminaires on the track. To reduce the risk of fire and electric shock, do not attempt to connect power tools, extension cords, appliances to the track.
8. Product must be mounted in location and at height in a manner consistent with its intended use.

FOCUS LED TRACK LIGHT INSTALLATION INSTRUCTIONS




Installation for LED Track Light

1




Always switch power off first before changing colour temperature

2




The polarity is the a shallow groove on the surface of the track.


3




4



Track Installation



Wiring Diagram



1-phase, 1-circuit, 240V AC, 10A, 3kVA

Product Specification

Product Code	210025	210026	210030	210031
Configuration	3 Wire Single Circuit			
Material	Aluminium + PC			
Finish	Matt White	Matt Black	Matt White	Matt Black
Wattage	10W	10W	15W	15W
Light Source	COB LED Integrated (Non-replaceable)			
Beam Angle	15*-50°			
Colour Temperature	3000K, 4000K, 6000K Selectable			
Luminous Flux	3000K - 650lm 4000K - 720 lm 6000K - 740 lm 3000K - 780 lm 4000K - 900 lm 6000K - 1030 lm			
CRI	Ra90			
Dimmable	Yes - Triac Dimming			
Tilt Adjustable Angle	90° Vertical 350° Horizontal			
Protection Class	Class 1			
IP Rating	IP20			
Input Voltage	AC 220-250V 50Hz			
Dimension	Φ62 x H150mm		Φ62 x H160mm	

- Dimming compatibility - It is the installer's responsibility to validate dimming circuits and product compatibility prior to installation. Alacio is not liable for any third-party changes affecting dimmer compatibility.

Product Warranty

This product is covered by a 3 year replacement warranty. Contact your place of purchase for a replacement in the unlikely event of product failure within the warranty period.

Warranty void if safety instructions and installation procedures are not followed or if the product has been modified.

Care and Maintenance

Always be certain that electric current is turned off before cleaning this item

Use a soft, moist cloth with mild non-abrasive soap to clean fixture. Never use glass cleaner on fixture, as it will damage the metal finish.

Disposal

This product must not be disposed of with the household refuse at the end of its life cycle. Take it to your local disposal centre for electrical and electronic waste.



Product design and technical data may be subject to change